BRIGHTWELL

Datasheet



Ecoshot Bucket Datasheet

Ecoshot is a manual stand-alone chemical dispensing system that

does not require a mains water connection, perfect for environments

with fluctuating water pressure. Ideal for dispensing into buckets.



Technical specifications			
Dimensions (inches) (H x W x L)	8.5" x 4.75" x 6"	8.5" x 4.75" x 6"	
Weight	1.10 lbs.	1.10 lbs.	
Branding (cm) (H x W)	Branding plaque Small: H 1.5 x W 3 Large: H 3 x W 4 Colour rings: Grey, as standard	Small: H 1.5 x W 3 Large: H 3 x W 4	
Material	Cover/Backplate/Dial Selector: Glass Bead Polypropylene (GBPP) Proportioner Pusher: ABS Internal tubing and seals: EPDM	Glass Bead Polypropylene (GBPP) Proportioner Pusher: ABS	
Accessories	Hanging bracket Secure chemical cabinets Coloured rings	Secure chemical cabinets	
Approvals	WaterMark: Licence No. WMK25899 Specification: ATS5200.101 - 2005		
anty	2 years	1	

Adjustable dose between 5ml and 30ml for use with concentrated

chemicals. Max: 150CPI

In the box
Dispenser key
Ceramic weight
Sinker support assembly
Ecoshot unit
Bucket Spout
Instruction manual
Drilling template
Screw pack
Supervisor/maintenance key
Bucket spout (Bucket version only)

Part numbers	
Part number	Description
DMS11-WK	Ecoshot Bucket

BESPOKE PART NUMBERS AVAILABLE ON REQUEST

Shipping info				
Shipping method	Quantity of units	Dimensions L x W x H (inches)	Net packed weight (lbs.)	
Unit	1	14.5" x 6.25" x 6"	2	
Case	4	24.5" x 21.25" x 10.5"	11	
Pallet	108	47.25" x 39.25" x 43.75"	247	
Pallet	84	47.25" x 31.5" x 43.75"	201	

BRIGHTWELL

Brightwell Dispensers Inc. 9858 Britton Street Lenexa, KS 66219

T: (+1) 913-956-4909 E: sales@brightwell-inc.com

© 2024 Brightwell Dosing Ltd | Registered in England, Number 00661996.

