

# BRIGHTWELL

## Datasheet



### Ecoshot

Ecoshot is a manual stand-alone chemical dispensing system that does not require a mains water connection, perfect for dispensing into sinks, bottles or buckets.

Adjustable dose between 5ml and 30ml for use with concentrated chemicals up to 150 centipoise.



Sink Version

### Technical specifications

<b>Dimensions (mm) (H x W x L)</b>	Sink - 220 x 120 x 150 Bottle - 520 x 120 x 150 Bucket - 220 x 120 x 150
<b>Weight</b>	0.5 kg
<b>Branding (mm) (H x W)</b>	Branding plaque Small: H 15 x W 30 Large: H 30 x W 40 Colour rings: Grey, as standard
<b>Material</b>	Cover/Backplate: Glass Bead Polypropylene (GBPP) Pusher: ABS Pusher seal: PTFE/Hastelloy Valve seals: PP/Viton/Perfluoroelastomer



<b>Accessories</b>	Hanging bracket Secure chemical cabinets (2ltr/5ltr) Coloured rings
<b>Warranty</b>	2 years

## In the box

EcoShot unit
Dispenser and Supervisor/maintenance key
Ceramic weight
Sinker support assembly
Sink Spout
Instruction manual
Drilling template
Screw pack
Bottle bracket and clips (Bottle version only)
Bucket spout (Bucket version only)

## Part numbers

Part number	Description
<b>DMS11-WK/NT</b>	Ecoshot Sink
<b>DMK11-WK/NT</b>	Ecoshot Bucket
<b>DMB11-WK/NT</b>	Ecoshot Bottle

## Shipping info

Shipping method	Quantity of units	Dimensions L x W x H (cm)	Net packed weight (kg)
-	1	37 x 16 x 15.5	0.9



Shipping method	Quantity of units	Dimensions L x W x H (cm)	Net packed weight (kg)
Case	4	63 x 54 x 27	5
Pallet	108	120 x 100 x 111	112
Euro Pallet	84	120 x 80 x 111	91

**BRIGHTWELL**

Brightwell Dosing Ltd  
Unit 1, Rich Industrial Estate  
Avis Way, Newhaven  
East Sussex, BN9 0DU

T: +44 (0)1273 513 566  
E: sales@brightwell.co.uk

© 2024 Brightwell Dosing Ltd | Registered in England, Number 00661996.

