# BRIGHTWELL

## Datasheet



### Ecomini Datasheet

Ecomini is a push-operated pump, designed to deliver detergent directly from a product container into a commercial sink. It features a fixed 30ml dose and a 125mm non-drip outlet spout. A longer, 300mm spout is also available that can swivel between two sinks allowing the

use of a single pump.



Technical specifications		
Dimensions (mm) (H x W x L)	78 x 108 x 126 (excluding spout)	
Weight	0.55 kg	
Branding (mm) (H x W)	As standard the dispensers will arrive with an ECOMINI label*	
Installation	East to set up wall-mounted dispenser, available with a non-drip aluminium or stainless steel spout	
Pusher Material	Acetal	
Order options	Bespoke install kits Bespoke rubber seals Bespoke spring	
Packaging	Packed in a pulp tray of recyclable cardboard	
anty	1 year	

ጥ

\*Bespoke labels can be ordered separately in packs of 100, or fitted during manufacture for a minimum order quantity of 288

#### units

In the box			
EcoMini unit			
PVC tube 15mm x 12mm x 2500mm			
Screw pack			
User guide			
Spout			

Part numbers			
Part number	Description		
DMM125A/D9	ECOMINI, 125mm Aluminium spout: Nitrile seals Standard spring Acetal pusher and body 30ml dose		
DMM300A/D9	ECOMINI, 300mm Aluminium spout: Nitrile seals Standard spring Acetal pusher and body 30ml dose		
DMM125S/D9	ECOMINI, 125ml Stainless steel spout: Viton seals Standard spring Acetal pusher and body 30ml dose		
DMM300S/D9	ECOMINI, 300ml Stainless steel spout: Viton seals Standard spring Acetal pusher and body 30ml dose		



Ecomini Datasheet | Brightwell

Shipping method	Quantity of units	Dimensions L x W x H (cm)	Net packed weight (kg)
Unit	1	27 x 21.5 x 10	0.7
Case	32	66 x 56 x 51	24
Pallet	256	132 x 112 x 110	170
Euro Pallet	128	120 x 80 x 120	135

#### **BRIGHTWELL**

Brightwell Dosing Ltd Unit 1, Rich Industrial Estate Avis Way, Newhaven East Sussex, BN9 ODU

T: +44 (0)1273 513 566 E: sales@brightwell.co.uk

© 2024 Brightwell Dosing Ltd | Registered in England, Number 00661996.